


Time range: October 30, 2011 8:16:39 PM to October 31, 2011 8:16:39 PM US/Eastern

### Machine group: Citrix Beijing Office - SE group

Machines in group: 7



### Group Summary


Group	# of Users	Time in Use (%)	Avg. Login Delay (s)	Avg. System CPU (%)	Avg. User CPU (%)	Avg. Mem Used (MB)	Avg. Mem Used (%)	Avg. Disk Used (MB)	Avg. Disk I/O	Avg. Network KB/s	Avg. NRT to Hub	Avg. NRT Incoming	Avg. Graphics Intensity	Total ANR
Rest of World	10	18.81	0.02	1.17	0.89	0.48	22.99	257.83	1.85	5.91	1.46	0.00	61.01	43
Citrix Beijing Office - SE group	4	7.40	0.03	6.90	7.42	2.12	3.63	66.75	21.68	11.09	0.72	0.00	283.00	0

### Top Active Machines - Details

Machine	# of Users	Time in Use (%)	Avg. Login Delay (s)	Avg. System CPU (%)	Avg. User CPU (%)	Avg. Mem Used (MB)	Avg. Mem Used (%)	Avg. Disk Used (MB)	Avg. Disk I/O	Avg. Network KB/s	Avg. NRT to Hub	Avg. NRT Incoming	Avg. Graphics Intensity	Total ANR
atl-11460	1	96.09	0.58	6.19	13.03	1.90	60.37	41.94	13.02	0.54	0.00	0.00	507.69	0
atl-11471	1	92.33	0.38	8.27	8.47	2.18	35.38	39.38	6.36	360.54	0.00	0.00	137.69	0
atl-11457	1	88.24	1.28	2.01	2.62	1.80	40.12	43.98	26.67	20.36	0.72	0.00	147.60	0
atl-11453	1	100.00	0.00	6.60	1.07	2.32	50.30	135.24	51.37	3.13	0.00	0.00	274.05	0

## Machine group: Dell win server 2008

Machines in group: 21



### Group Summary


Group	# of Users	Time in Use (%)	Avg. Login Delay (s)	Avg. System CPU (%)	Avg. User CPU (%)	Avg. Mem Used (MB)	Avg. Mem Used (%)	Avg. Disk Used (MB)	Avg. Disk I/O	Avg. Network KB/s	Avg. NRT to Hub	Avg. NRT Incoming	Avg. Graphics Intensity	Total ANR
Rest of World	8	7.35	0.00	0.49	0.22	0.33	14.90	8.78	2.05	0.38	1.47	0.00	16.21	0
Dell win server 2008	6	18.86	0.05	6.32	6.31	1.77	11.72	1,221.29	8.98	16.63	1.12	0.00	382.41	9

### Top Active Machines - Details

Machine	# of Users	Time in Use (%)	Avg. Login Delay (s)	Avg. System CPU (%)	Avg. User CPU (%)	Avg. Mem Used (MB)	Avg. Mem Used (%)	Avg. Disk Used (MB)	Avg. Disk I/O	Avg. Network KB/s	Avg. NRT to Hub	Avg. NRT Incoming	Avg. Graphics Intensity	Total ANR
atl-11460	1	96.09	0.58	6.19	13.03	1.90	60.37	41.94	13.02	0.54	0.00	0.00	507.69	0
atl-11471	1	92.33	0.38	8.27	8.47	2.18	35.38	39.38	6.36	360.54	0.00	0.00	137.69	0
tntatl-1223	1	100.00	0.00	2.59	5.86	1.15	53.44	91.68	10.17	0.00	0.00	0.00	115.92	23
atl-11418	1	100.00	0.00	6.89	5.46	1.74	71.68	2,045.34	8.91	48.55	1.04	0.00	514.79	0
atl-11457	1	88.24	1.28	2.01	2.62	1.80	40.12	43.98	26.67	20.36	0.72	0.00	147.60	0
atl-11459	1	90.82	1.92	2.99	1.85	1.84	36.22	28.80	6.63	7.86	1.15	0.00	152.46	0
WXPX86-DK	1	100.00	0.00	0.18	0.19	0.54	47.22	14.07	2.94	0.00	1.29	0.00	108.98	24

Machine group: Nissho Win7 Group 1

Machines in group: 6



Group Summary


Group	# of Users	Time in Use (%)	Avg. Login Delay (s)	Avg. System CPU (%)	Avg. User CPU (%)	Avg. Mem Used (MB)	Avg. Mem Used (%)	Avg. Disk Used (MB)	Avg. Disk I/O	Avg. Network KB/s	Avg. NRT to Hub	Avg. NRT Incoming	Avg. Graphics Intensity	Total ANR
Rest of World	9	21.91	0.02	1.46	1.09	0.55	24.19	242.01	3.03	16.16	1.44	0.00	64.32	45
Nissho Win7 Group 1	4	3.24	0.04	2.23	3.63	0.95	3.14	24.43	5.58	0.16	1.02	0.00	151.85	0

Top Active Machines - Details

Machine	# of Users	Time in Use (%)	Avg. Login Delay (s)	Avg. System CPU (%)	Avg. User CPU (%)	Avg. Mem Used (MB)	Avg. Mem Used (%)	Avg. Disk Used (MB)	Avg. Disk I/O	Avg. Network KB/s	Avg. NRT to Hub	Avg. NRT Incoming	Avg. Graphics Intensity	Total ANR
atl-11460	1	96.09	0.58	6.19	13.03	1.90	60.37	41.94	13.02	0.54	0.00	0.00	507.69	0
atl-11457	1	88.24	1.28	2.01	2.62	1.80	40.12	43.98	26.67	20.36	0.72	0.00	147.60	0
atl-11459	1	90.82	1.92	2.99	1.85	1.84	36.22	28.80	6.63	7.86	1.15	0.00	152.46	0
W7PX86-TR	1	0.00	0.00	0.14	0.05	0.31	25.61	15.02	0.61	0.00	1.34	0.00	5.25	0

Machine group: Nissho WinXP Group 1

Machines in group: 5



Group Summary


Group	# of Users	Time in Use (%)	Avg. Login Delay (s)	Avg. System CPU (%)	Avg. User CPU (%)	Avg. Mem Used (MB)	Avg. Mem Used (%)	Avg. Disk Used (MB)	Avg. Disk I/O	Avg. Network KB/s	Avg. NRT to Hub	Avg. NRT Incoming	Avg. Graphics Intensity	Total ANR
Rest of World	12	25.32	0.05	1.69	1.49	0.64	25.23	260.23	3.55	17.03	1.50	0.00	82.40	44
Nissho WinXP Group 1	1	0.92	0.00	0.66	0.14	0.25	1.40	5.86	1.16	0.00	0.98	0.00	11.49	0

Top Active Machines - Details

Machine	# of Users	Time in Use (%)	Avg. Login Delay (s)	Avg. System CPU (%)	Avg. User CPU (%)	Avg. Mem Used (MB)	Avg. Mem Used (%)	Avg. Disk Used (MB)	Avg. Disk I/O	Avg. Network KB/s	Avg. NRT to Hub	Avg. NRT Incoming	Avg. Graphics Intensity	Total ANR
WXPX86-LW	0	0.00	0.00	2.72	0.25	0.64	49.63	18.52	4.03	0.00	1.10	0.00	10.19	0
WXPX86-SG	1	100.00	0.00	0.46	0.22	0.39	23.17	8.75	1.40	0.00	1.17	0.00	24.42	0
WXPX86-DD1-4	0	0.00	0.00	0.31	0.11	0.14	15.03	2.87	0.70	0.00	0.88	0.00	9.37	0
WXPX86-DD1-7	0	0.00	0.00	0.30	0.10	0.14	15.07	2.88	0.43	0.00	0.95	0.00	9.37	0

## Machine group: Physical Machines

Machines in group: 15



### Group Summary


Group	# of Users	Time in Use (%)	Avg. Login Delay (s)	Avg. System CPU (%)	Avg. User CPU (%)	Avg. Mem Used (MB)	Avg. Mem Used (%)	Avg. Disk Used (MB)	Avg. Disk I/O	Avg. Network KB/s	Avg. NRT to Hub	Avg. NRT Incoming	Avg. Graphics Intensity	Total ANR
Rest of World	10	8.66	0.00	0.50	0.25	0.34	15.54	9.27	2.10	0.38	1.46	0.00	17.72	39
Physical Machines	5	17.58	0.05	6.71	6.62	1.84	11.09	1,306.64	9.24	16.65	1.03	0.00	405.84	0

### Top Active Machines - Details

Machine	# of Users	Time in Use (%)	Avg. Login Delay (s)	Avg. System CPU (%)	Avg. User CPU (%)	Avg. Mem Used (MB)	Avg. Mem Used (%)	Avg. Disk Used (MB)	Avg. Disk I/O	Avg. Network KB/s	Avg. NRT to Hub	Avg. NRT Incoming	Avg. Graphics Intensity	Total ANR
atl-11460	1	96.09	0.58	6.19	13.03	1.90	60.37	41.94	13.02	0.54	0.00	0.00	507.69	0
atl-11471	1	92.33	0.38	8.27	8.47	2.18	35.38	39.38	6.36	360.54	0.00	0.00	137.69	0
atl-11418	1	100.00	0.00	6.89	5.46	1.74	71.68	2,045.34	8.91	48.55	1.04	0.00	514.79	0
atl-11457	1	88.24	1.28	2.01	2.62	1.80	40.12	43.98	26.67	20.36	0.72	0.00	147.60	0
atl-11459	1	90.82	1.92	2.99	1.85	1.84	36.22	28.80	6.63	7.86	1.15	0.00	152.46	0

## Machine group: Terminal Services

Machines in group: 6



### Group Summary


Group	# of Users	Time in Use (%)	Avg. Login Delay (s)	Avg. System CPU (%)	Avg. User CPU (%)	Avg. Mem Used (MB)	Avg. Mem Used (%)	Avg. Disk Used (MB)	Avg. Disk I/O	Avg. Network KB/s	Avg. NRT to Hub	Avg. NRT Incoming	Avg. Graphics Intensity	Total ANR
Rest of World	11	24.27	0.05	1.61	1.41	0.61	24.86	245.20	3.45	16.32	1.46	0.00	77.97	45
Terminal Services	2	0.88	0.00	0.65	0.18	0.34	2.47	11.68	1.07	0.00	1.02	0.00	7.89	0

### Top Active Machines - Details

Machine	# of Users	Time in Use (%)	Avg. Login Delay (s)	Avg. System CPU (%)	Avg. User CPU (%)	Avg. Mem Used (MB)	Avg. Mem Used (%)	Avg. Disk Used (MB)	Avg. Disk I/O	Avg. Network KB/s	Avg. NRT to Hub	Avg. NRT Incoming	Avg. Graphics Intensity	Total ANR
WXPX86-LW	0	0.00	0.00	2.72	0.25	0.64	49.63	18.52	4.03	0.00	1.10	0.00	10.19	0
WXPX86-SG	1	100.00	0.00	0.46	0.22	0.39	23.17	8.75	1.40	0.00	1.17	0.00	24.42	0
WXPX86-FL0-5	0	0.00	0.00	0.30	0.11	0.22	18.14	3.44	0.48	0.00	0.94	0.00	8.55	0
W7PX86-TR	1	0.00	0.00	0.14	0.05	0.31	25.61	15.02	0.61	0.00	1.34	0.00	5.25	0

Machine group: VMware Host labvd01.lwl.corp

Machines in group: 12



Group Summary


Group	# of Users	Time in Use (%)	Avg. Login Delay (s)	Avg. System CPU (%)	Avg. User CPU (%)	Avg. Mem Used (MB)	Avg. Mem Used (%)	Avg. Disk Used (MB)	Avg. Disk I/O	Avg. Network KB/s	Avg. NRT to Hub	Avg. NRT Incoming	Avg. Graphics Intensity	Total ANR
Rest of World	11	9.42	0.02	0.81	0.61	0.37	20.40	94.30	1.70	6.11	1.18	0.00	33.57	45
VMware Host labvd01.lwl.corp	3	0.00	0.00	0.28	0.11	0.15	11.49	3.81	1.01	0.00	0.86	0.00	10.27	0

Top Active Machines - Details

Machine	# of Users	Time in Use (%)	Avg. Login Delay (s)	Avg. System CPU (%)	Avg. User CPU (%)	Avg. Mem Used (MB)	Avg. Mem Used (%)	Avg. Disk Used (MB)	Avg. Disk I/O	Avg. Network KB/s	Avg. NRT to Hub	Avg. NRT Incoming	Avg. Graphics Intensity	Total ANR
WXPX86-FL2-9	1	0.00	0.00	0.29	0.12	0.15	16.16	3.95	1.01	0.00	0.95	0.00	10.26	0
WXPX86-FL2-6	0	0.00	0.00	0.29	0.12	0.15	15.80	4.20	0.98	0.00	0.93	0.00	10.16	0
WXPX86-FL2-4	1	0.00	0.00	0.29	0.12	0.15	15.92	3.97	0.60	0.00	0.98	0.00	10.29	0
WXPX86-FL2-1	1	0.00	0.00	0.29	0.11	0.15	15.94	3.92	0.58	0.00	0.95	0.00	10.29	0
WXPX86-FL2-2	1	0.00	0.00	0.30	0.11	0.15	15.51	4.03	0.87	0.00	0.94	0.00	10.16	0
WXPX86-FL2-8	0	0.00	0.00	0.32	0.11	0.14	15.09	3.91	0.78	0.00	0.93	0.00	9.37	0
WXPX86-FL2-10	1	0.00	0.00	0.28	0.11	0.15	16.01	3.80	0.93	0.00	0.92	0.00	10.30	0
WXPX86-FL2-3	0	0.00	0.00	0.31	0.11	0.14	14.72	3.96	0.90	0.00	1.01	0.00	9.39	0
WXPX86-FL2-7	1	0.00	0.00	0.30	0.10	0.15	17.82	3.90	0.61	0.00	0.88	0.00	10.29	0
WXPX86-FL2-5	0	0.00	0.00	0.31	0.10	0.14	14.94	3.82	0.61	0.00	0.95	0.00	9.39	0

Machine group: VMware Host labvd02.lwl.corp

Machines in group: 12



Group Summary


Group	# of Users	Time in Use (%)	Avg. Login Delay (s)	Avg. System CPU (%)	Avg. User CPU (%)	Avg. Mem Used (MB)	Avg. Mem Used (%)	Avg. Disk Used (MB)	Avg. Disk I/O	Avg. Network KB/s	Avg. NRT to Hub	Avg. NRT Incoming	Avg. Graphics Intensity	Total ANR
Rest of World	13	31.35	0.05	1.77	1.62	0.87	23.32	273.62	3.86	15.13	1.47	0.00	88.03	37
VMware Host labvd02.lwl.corp	0	0.00	0.00	0.32	0.11	0.15	5.37	3.43	0.65	0.00	0.95	0.00	9.70	0

Top Active Machines - Details

Machine	# of Users	Time in Use (%)	Avg. Login Delay (s)	Avg. System CPU (%)	Avg. User CPU (%)	Avg. Mem Used (MB)	Avg. Mem Used (%)	Avg. Disk Used (MB)	Avg. Disk I/O	Avg. Network KB/s	Avg. NRT to Hub	Avg. NRT Incoming	Avg. Graphics Intensity	Total ANR
WXPX86-DD1-1	0	0.00	0.00	0.31	0.16	0.15	15.47	2.82	0.48	0.00	0.92	0.00	9.33	0
WXPX86-DD1-9	0	0.00	0.00	0.32	0.14	0.16	18.25	4.72	0.35	0.00	0.99	0.00	10.44	0
WXPX86-DD1-5	0	0.00	0.00	0.31	0.14	0.14	14.85	2.92	0.53	0.00	0.95	0.00	9.37	0
WXPX86-DD1-8	0	0.00	0.00	0.30	0.12	0.14	15.19	2.80	0.89	0.00	0.95	0.00	9.34	0
WXPX86-DD1-10	0	0.00	0.00	0.29	0.12	0.14	14.83	2.91	0.38	0.00	0.96	0.00	9.36	0
WXPX86-DD1-4	0	0.00	0.00	0.31	0.11	0.14	15.03	2.87	0.70	0.00	0.88	0.00	9.37	0
WXPX86-DD1-7	0	0.00	0.00	0.30	0.10	0.14	15.07	2.88	0.43	0.00	0.95	0.00	9.37	0
WXPX86-DD1-2	0	0.00	0.00	0.31	0.09	0.14	15.08	2.90	0.36	0.00	1.10	0.00	9.33	0
WXPX86-DD1-6	0	0.00	0.00	0.32	0.09	0.14	14.89	2.80	0.48	0.00	0.99	0.00	9.32	0
WXPX86-DD1-3	0	0.00	0.00	0.32	0.08	0.14	14.89	2.85	0.38	0.00	0.88	0.00	9.33	0

Machine group: VMware Host labvd03.lwl.corp

Machines in group: 6



**Group Summary**


Group	# of Users	Time in Use (%)	Avg. Login Delay (s)	Avg. System CPU (%)	Avg. User CPU (%)	Avg. Mem Used (MB)	Avg. Mem Used (%)	Avg. Disk Used (MB)	Avg. Disk I/O	Avg. Network KB/s	Avg. NRT to Hub	Avg. NRT Incoming	Avg. Graphics Intensity	Total ANR
Rest of World	11	23.43	0.05	1.60	1.40	0.60	24.79	242.78	3.40	16.32	1.45	0.00	76.36	22
VMware Host labvd03.lwl.corp	3	1.72	0.00	0.66	0.19	0.39	2.54	14.26	1.47	0.00	1.09	0.00	17.60	2

**Top Active Machines - Details**

Machine	# of Users	Time in Use (%)	Avg. Login Delay (s)	Avg. System CPU (%)	Avg. User CPU (%)	Avg. Mem Used (MB)	Avg. Mem Used (%)	Avg. Disk Used (MB)	Avg. Disk I/O	Avg. Network KB/s	Avg. NRT to Hub	Avg. NRT Incoming	Avg. Graphics Intensity	Total ANR
WXPX86-LW	0	0.00	0.00	2.72	0.25	0.64	49.63	18.52	4.03	0.00	1.10	0.00	10.19	0
WXPX86-SG	1	100.00	0.00	0.46	0.22	0.39	23.17	8.75	1.40	0.00	1.17	0.00	24.42	0
WXPX86-DK	1	100.00	0.00	0.18	0.19	0.54	47.22	14.07	2.94	0.00	1.29	0.00	108.98	24
WXPX86-SR	0	0.00	0.00	0.14	0.07	0.29	16.84	10.75	1.48	0.00	1.30	0.00	8.88	0
W7PX86-TR	1	0.00	0.00	0.14	0.05	0.31	25.61	15.02	0.61	0.00	1.34	0.00	5.25	0

Machine group: VMware Host labvd04.lwl.corp

Machines in group: 13



Group Summary


Group	# of Users	Time in Use (%)	Avg. Login Delay (s)	Avg. System CPU (%)	Avg. User CPU (%)	Avg. Mem Used (MB)	Avg. Mem Used (%)	Avg. Disk Used (MB)	Avg. Disk I/O	Avg. Network KB/s	Avg. NRT to Hub	Avg. NRT Incoming	Avg. Graphics Intensity	Total ANR
Rest of World	13	9.42	0.02	0.80	0.62	0.32	18.21	97.93	2.02	6.11	0.87	0.00	38.11	43
VMware Host labvd04.lwl.corp	0	0.00	0.00	0.31	0.12	0.22	13.69	3.45	0.65	0.00	1.22	0.00	8.54	0

Top Active Machines - Details

Machine	# of Users	Time in Use (%)	Avg. Login Delay (s)	Avg. System CPU (%)	Avg. User CPU (%)	Avg. Mem Used (MB)	Avg. Mem Used (%)	Avg. Disk Used (MB)	Avg. Disk I/O	Avg. Network KB/s	Avg. NRT to Hub	Avg. NRT Incoming	Avg. Graphics Intensity	Total ANR
WXPX86-FL0-3	0	0.00	0.00	0.31	0.13	0.22	18.17	3.45	0.61	0.00	1.02	0.00	8.54	0
WXPX86-FL0-1	0	0.00	0.00	0.31	0.12	0.22	18.42	3.79	0.33	0.00	0.92	0.00	8.55	0
WXPX86-FL0-4	0	0.00	0.00	0.31	0.12	0.22	18.47	3.45	0.46	0.00	0.99	0.00	8.57	0
WXPX86-FL0-10	0	0.00	0.00	0.31	0.12	0.22	18.22	3.45	0.30	0.00	0.95	0.00	8.54	0
WXPX86-FL0-8	0	0.00	0.00	0.31	0.12	0.22	18.53	3.44	0.58	0.00	0.93	0.00	8.55	0
WXPX86-FL0-7	0	0.00	0.00	0.31	0.11	0.22	18.55	3.44	0.41	0.00	0.92	0.00	8.55	0
WXPX86-FL0-6	0	0.00	0.00	0.30	0.11	0.22	18.46	3.44	0.66	0.00	17.03	0.00	8.54	0
WXPX86-FL0-2	0	0.00	0.00	0.31	0.11	0.22	18.47	3.56	0.38	0.00	0.95	0.00	8.55	0
WXPX86-FL0-5	0	0.00	0.00	0.30	0.11	0.22	18.14	3.44	0.48	0.00	0.94	0.00	8.55	0
WXPX86-FL0-9	0	0.00	0.00	0.32	0.11	0.22	18.20	3.45	0.52	0.00	0.91	0.00	8.55	0

Machine group: WXPX86-DD1

Machines in group: 10



Group Summary


Group	# of Users	Time in Use (%)	Avg. Login Delay (s)	Avg. System CPU (%)	Avg. User CPU (%)	Avg. Mem Used (MB)	Avg. Mem Used (%)	Avg. Disk Used (MB)	Avg. Disk I/O	Avg. Network KB/s	Avg. NRT to Hub	Avg. NRT Incoming	Avg. Graphics Intensity	Total ANR
Rest of World	13	31.35	0.05	1.77	1.62	0.87	23.32	273.62	3.86	15.13	1.47	0.00	88.03	37
WXPX86-DD1	0	0.00	0.00	0.32	0.11	0.15	5.37	3.43	0.65	0.00	0.95	0.00	9.70	0

Top Active Machines - Details

Machine	# of Users	Time in Use (%)	Avg. Login Delay (s)	Avg. System CPU (%)	Avg. User CPU (%)	Avg. Mem Used (MB)	Avg. Mem Used (%)	Avg. Disk Used (MB)	Avg. Disk I/O	Avg. Network KB/s	Avg. NRT to Hub	Avg. NRT Incoming	Avg. Graphics Intensity	Total ANR
WXPX86-DD1-1	0	0.00	0.00	0.31	0.16	0.15	15.47	2.82	0.48	0.00	0.92	0.00	9.33	0
WXPX86-DD1-9	0	0.00	0.00	0.32	0.14	0.16	18.25	4.72	0.35	0.00	0.99	0.00	10.44	0
WXPX86-DD1-5	0	0.00	0.00	0.31	0.14	0.14	14.85	2.92	0.53	0.00	0.95	0.00	9.37	0
WXPX86-DD1-8	0	0.00	0.00	0.30	0.12	0.14	15.19	2.80	0.89	0.00	0.95	0.00	9.34	0
WXPX86-DD1-10	0	0.00	0.00	0.29	0.12	0.14	14.83	2.91	0.38	0.00	0.96	0.00	9.36	0
WXPX86-DD1-4	0	0.00	0.00	0.31	0.11	0.14	15.03	2.87	0.70	0.00	0.88	0.00	9.37	0
WXPX86-DD1-7	0	0.00	0.00	0.30	0.10	0.14	15.07	2.88	0.43	0.00	0.95	0.00	9.37	0
WXPX86-DD1-2	0	0.00	0.00	0.31	0.09	0.14	15.08	2.90	0.36	0.00	1.10	0.00	9.33	0
WXPX86-DD1-6	0	0.00	0.00	0.32	0.09	0.14	14.89	2.80	0.48	0.00	0.99	0.00	9.32	0
WXPX86-DD1-3	0	0.00	0.00	0.32	0.08	0.14	14.89	2.85	0.38	0.00	0.88	0.00	9.33	0

Machine group: WXPX86-FL00

Machines in group: 10



Group Summary


Group	# of Users	Time in Use (%)	Avg. Login Delay (s)	Avg. System CPU (%)	Avg. User CPU (%)	Avg. Mem Used (MB)	Avg. Mem Used (%)	Avg. Disk Used (MB)	Avg. Disk I/O	Avg. Network KB/s	Avg. NRT to Hub	Avg. NRT Incoming	Avg. Graphics Intensity	Total ANR
Rest of World	13	9.42	0.02	0.80	0.62	0.32	18.21	97.93	2.02	6.11	0.87	0.00	38.11	43
WXPX86-FL00	0	0.00	0.00	0.31	0.12	0.22	13.69	3.45	0.65	0.00	1.22	0.00	8.54	0

Top Active Machines - Details

Machine	# of Users	Time in Use (%)	Avg. Login Delay (s)	Avg. System CPU (%)	Avg. User CPU (%)	Avg. Mem Used (MB)	Avg. Mem Used (%)	Avg. Disk Used (MB)	Avg. Disk I/O	Avg. Network KB/s	Avg. NRT to Hub	Avg. NRT Incoming	Avg. Graphics Intensity	Total ANR
WXPX86-FL0-3	0	0.00	0.00	0.31	0.13	0.22	18.17	3.45	0.61	0.00	1.02	0.00	8.54	0
WXPX86-FL0-1	0	0.00	0.00	0.31	0.12	0.22	18.42	3.79	0.33	0.00	0.92	0.00	8.55	0
WXPX86-FL0-4	0	0.00	0.00	0.31	0.12	0.22	18.47	3.45	0.46	0.00	0.99	0.00	8.57	0
WXPX86-FL0-10	0	0.00	0.00	0.31	0.12	0.22	18.22	3.45	0.30	0.00	0.95	0.00	8.54	0
WXPX86-FL0-8	0	0.00	0.00	0.31	0.12	0.22	18.53	3.44	0.58	0.00	0.93	0.00	8.55	0
WXPX86-FL0-7	0	0.00	0.00	0.31	0.11	0.22	18.55	3.44	0.41	0.00	0.92	0.00	8.55	0
WXPX86-FL0-6	0	0.00	0.00	0.30	0.11	0.22	18.46	3.44	0.66	0.00	17.03	0.00	8.54	0
WXPX86-FL0-2	0	0.00	0.00	0.31	0.11	0.22	18.47	3.56	0.38	0.00	0.95	0.00	8.55	0
WXPX86-FL0-5	0	0.00	0.00	0.30	0.11	0.22	18.14	3.44	0.48	0.00	0.94	0.00	8.55	0
WXPX86-FL0-9	0	0.00	0.00	0.32	0.11	0.22	18.20	3.45	0.52	0.00	0.91	0.00	8.55	0

Machine group: WXPX86-FL2

Machines in group: 10



Group Summary

Group	# of Users	Time in Use (%)	Avg. Login Delay (s)	Avg. System CPU (%)	Avg. User CPU (%)	Avg. Mem Used (MB)	Avg. Mem Used (%)	Avg. Disk Used (MB)	Avg. Disk I/O	Avg. Network KB/s	Avg. NRT to Hub	Avg. NRT Incoming	Avg. Graphics Intensity	Total ANR
Rest of World	11	9.42	0.02	0.81	0.61	0.37	20.40	94.30	1.70	6.11	1.18	0.00	33.57	45
WXPX86-FL2	3	0.00	0.00	0.28	0.11	0.15	11.49	3.81	1.01	0.00	0.86	0.00	10.27	0

Top Active Machines - Details

Machine	# of Users	Time in Use (%)	Avg. Login Delay (s)	Avg. System CPU (%)	Avg. User CPU (%)	Avg. Mem Used (MB)	Avg. Mem Used (%)	Avg. Disk Used (MB)	Avg. Disk I/O	Avg. Network KB/s	Avg. NRT to Hub	Avg. NRT Incoming	Avg. Graphics Intensity	Total ANR
WXPX86-FL2-9	1	0.00	0.00	0.29	0.12	0.15	16.16	3.95	1.01	0.00	0.95	0.00	10.26	0
WXPX86-FL2-6	0	0.00	0.00	0.29	0.12	0.15	15.80	4.20	0.98	0.00	0.93	0.00	10.16	0
WXPX86-FL2-4	1	0.00	0.00	0.29	0.12	0.15	15.92	3.97	0.60	0.00	0.98	0.00	10.29	0
WXPX86-FL2-1	1	0.00	0.00	0.29	0.11	0.15	15.94	3.92	0.58	0.00	0.95	0.00	10.29	0
WXPX86-FL2-2	1	0.00	0.00	0.30	0.11	0.15	15.51	4.03	0.87	0.00	0.94	0.00	10.16	0
WXPX86-FL2-8	0	0.00	0.00	0.32	0.11	0.14	15.09	3.91	0.78	0.00	0.93	0.00	9.37	0
WXPX86-FL2-10	1	0.00	0.00	0.28	0.11	0.15	16.01	3.80	0.93	0.00	0.92	0.00	10.30	0
WXPX86-FL2-3	0	0.00	0.00	0.31	0.11	0.14	14.72	3.96	0.90	0.00	1.01	0.00	9.39	0
WXPX86-FL2-7	1	0.00	0.00	0.30	0.10	0.15	17.82	3.90	0.61	0.00	0.88	0.00	10.29	0
WXPX86-FL2-5	0	0.00	0.00	0.31	0.10	0.14	14.94	3.82	0.61	0.00	0.95	0.00	9.39	0

Report generated  
by

